

## Automatic Insertable Cardiac Defibrillator (AICD)

Presence of an Automatic Insertable Cardiac Defibrillator (AICD) and/or encounter for adjustment of an AICD requires reporting two diagnosis codes; one for the presence of or encounter for adjustment of the device and the corresponding code for the condition the AICD is controlling or preventing (e.g., Ventricular Tachycardia).

Documentation Requirements	
<b>Etiology:</b>	Report underlying heart rhythm condition
<b>Status/Aftercare:</b>	Presence of AICD or Encounter for adjustment
<b>Best Practice:</b>	Physician documentation must include underlying heart rhythm condition with either a status code or adjustment and management of AICD

EMR Diagnosis Key Search Term	
Diagnosis Etiology	Diagnosis Complication
Key Search Term:	Key Search Term:
Key Search Term:	Key Search Term:

## Documentation and Reporting Guidelines

### Status Code and Aftercare Z category/codes:

- An ICD-10 status code is used to report the presence of an AICD without any current complications.
- An Encounter for adjustment and management ICD-10 code is reported for interrogation or attention to the AICD device.
- Do not report a status code and an encounter for adjustment/management code together on the same encounter.

### Chronic Diseases

- Chronic diseases treated on an ongoing basis may be coded and reported as many times as the patient receives treatment and care for the condition(s).

### Conditions that Co-exist at the time of the encounter

- Code all documented conditions that coexist at the time of the encounter and requires or affects patient care treatment or management.
- Do not code conditions that were previously treated and no longer exist.
- History codes may be used as secondary codes if the historical condition or family history has an impact on current care or influences treatment.